

Clear Sunstick

Benefits



- Perfectly transparent sun stick
- Very high SPF50+ protection measured in vivo on 3 volunteers
- Easy-to-apply formula that leaves a non-greasy finish

PHASE	RAW MATERIAL	%
A	EstoGel® Max	50,00
A	Dibutyl Adipate	6,20
A	Diisopropyl Adipate	11,00
A	Dicaprylyl Carbonate	1,90
A	Octocrylene	9,00
A	Ethylhexyl Salicylate	4,50
A	Ethylhexyl Triazone	4,50
A	Diethylamino Hydroxybenzoyl Hexyl Benzoate	9,00
A	Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine	2,70
B	Fragrance	1,00
B	Paprika Bio Extractive®	0,20

Process

- Heat up A to 85°C and homogenize for 30 minutes
- Cool down to 80°C
- Add B and mix for 5 minutes
- Pour into a suitable packaging