

Le Rouge

Benefits



Comparison with and without EstoGel®:
Lipstick with EstoGel® glides on the skin. It is easy to apply, leaving an even, full-coverage film with a glossy finish.

PHASE	RAW MATERIAL	%
A	EstoGel® M	5,00
A	Castor Oil	32,90
A	Caprylic/Capric Triglyceride	26,50
B	Undecane (and) Tridecane	10,00
C	Rice Bran Wax	9,00
C	Candelilla Wax	7,50
C	Corylus Avellana (Hazelnut) Seed Oil (and) Hydrogenated Hazelnut Oil	3,00
D	COD-8001 D&C Red 7 Ca Lake	3,05
D	COD-8009 FD&C Yellow 5 Al Lake	0,55
D	Sunshine® Blush Bronze	2,00
E	Fragrance	0,50

Process

- Heat up A to 100°C under stirring
- At 100°C, disperse the polymer for 30 minutes
- Cool down to 85°C
- Add B and stir until the blend is homogeneous
- Add C and stir until the blend is homogeneous
- Add D and homogenize
- Introduce the fragrance and blend
- Pour into a mold