

Natural Foundation

Benefits

- Pleasant, easy-to-spread texture thanks to EstoGel® Green
- Very even skin finish
- Stabilization of the W/O emulsion



PHASE	TRADE NAME	INCI NAME	SUPPLIER	%
A	Demineralized Water	Water	-	54,50
A	Sodium Chloride	Sodium Chloride	-	1,00
A	Glycerin	Glycerin	-	3,00
B	EstoGel® Green	Hydrogenated Castor Oil/Sebacic Acid Copolymer	PolymerExpert	2,00
B	DUB MCT 5545	Caprylic/Capric Triglyceride	Stéarinerie Dubois	10,00
B	Cetiol Ultimate	Undecane (and) Tridecane	BASF	9,50
B	Salacos HS-6C	Polyhydroxystearic Acid	Summit Cosmetics Europe	0,50
B	NWD-8462 Titanium Dioxide	Titanium Dioxide (and) Heptyl Undecylenate (and) Hydrogenated Rapeseed Oil	Maprecos	13,32
B	NWD-9336 Yellow Iron Oxide	Iron Oxides (and) Heptyl Undecylenate (and) Hydrogenated Rapeseed Oil	Maprecos	1,12
B	NWD-7336 Red Iron Oxide	Iron Oxides (and) Heptyl Undecylenate (and) Hydrogenated Rapeseed Oil	Maprecos	0,43
B	NWD-2336 Black Iron Oxide	Iron Oxides (and) Heptyl Undecylenate (and) Hydrogenated Rapeseed Oil	Maprecos	0,13
C	Plurol Diisostearique CG	Polyglyceryl-3 Diisostearate	Gattefosse	2,00
C	Dehymuls PGPH	Polyglyceryl-2 Dipolyhydroxystearate	BASF	2,00
D	Parfum Vanille Gourmande	Fragrance	Mane	0,50

Process

- In a secondary beaker, introduce A and solubilize NaCl
- In the main beaker, introduce B and heat up to 80°C under stirring
- At 80°C, stir for 30min
- Cool down to 40°C
- Add C to B and stir for 5 min
- Make the emulsion pouring A into B+C for 15 min
- Add D and homogenize