

Satin Gold Suncare Oil



Benefits

- Creates a film on the surface of the skin in anhydrous suncare
- Maintains good UV filter protection
- Suspends pearlescent particles
- Gives a slightly thickened texture with a pleasant sensory
- SPF in vivo (3vol.) = 34,7

PHASE	RAW MATERIAL	%
A	EstoGel® Green	1,00
A	Ethylhexyl Triazone	4,00
A	Ethylhexyl Salicylate	4,50
A	Diethylamino Hydroxybenzoyl Hexyl Benzoate	5,00
A	Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine	2,70
A	Caprylic/Capric Triglyceride	42,60
A	Coco-Caprylate/Caprato	20,00
A	Diisopropyl Sebacate	10,00
A	Diisopropyl Adipate	9,50
B	Sunshine® Soft Gold	0,20
C	Fragrance	0,50

Process

- Heat up A to 80°C under stirring
- At 80°C, disperse the polymer for 20 minutes to have a clear and homogeneous blend
- Cool slowly to 35°C under low stirring
- Add B and stir until the blend is homogeneous
- Add C and stir until the blend is homogeneous