

# Silky Serum

## Benefits



Oily serum thickened with EstoGel® Green. The pearls are perfectly suspended in the product, giving this oil the appearance of silk.

PHASE	RAW MATERIAL	%
A	Caprylic/Capric Triglyceride	37,10
A	Isoamyl Laurate	15,00
A	Dicaprylyl Carbonate	20,00
A	Coco-Caprylate Caprate	25,00
A	EstoGel® Green	1,00
B	Mica (and) Titanium Dioxide	0,50
C	Gatuline® In-Tense MB	1,00
C	Fragrance	0,40

## Process

- Introduce A in a beaker and heat up to 80°C
- At 80°C, disperse the polymer for 30 minutes
- Cool down slowly to 40°C
- Suspend the pearls under moderate stirring
- Cool down to 30 - 35°C
- Add C and mix slowly